

AD-A140 753

MEASUREMENTS OF THE LOW WAVENUMBER WALL PRESSURE  
SPECTRAL DENSITY DURING (U) MASSACHUSETTS INST OF TECH  
CAMBRIDGE ACOUSTICS AND VIBRATION L.


1/1


UNCLASSIFIED

C J GEDNEY ET AL. APR 84 AV-93019-1

F/G 20/4

NL





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A140 753

# MEASUREMENTS OF THE LOW WAVENUMBER WALL PRESSURE SPECTRAL DENSITY DURING TRANSITION ON A FLAT PLATE

①

by  
CHARLES J. GEDNEY

and  
PATRICK LEEHEY

Report No. 93019-1  
April 1984

This research was carried out for the  
Mechanics Division of the Office of Naval Research  
under Contract N00014-83-K-0227

Approved for public release; distribution unlimited

Acoustics and Vibration Laboratory  
Massachusetts Institute of Technology  
Cambridge, Massachusetts 02139

DTIC FILE COPY

DTIC  
ELECTE  
MAY 3 1984  
S D

84 05 03 015

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. AD-A140 753	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Measurements of the Low Wavenumber Wall Pressure Spectral Density During Transition on a Flat Plate		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) Dr. C. Gedney and Prof. P. Leehey		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Massachusetts Institute of Technology Cambridge, MA 02139		8. CONTRACT OR GRANT NUMBER(s) ONR N00014-83-K-0227
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research--Code 432F 800 North Quincy Street Arlington, VA 22217 Attn: Dr. Reischman		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 15 March 1984
		13. NUMBER OF PAGES 20
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Unlimited		
<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>DISTRIBUTION STATEMENT A</b>            Approved for public release;            Distribution Unlimited         </div>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Experimental measurements of the low-Mach number wall pressure spectra density in the transition region are currently carried out in our laboratory. The six element (B&K Model #4144) microphone array used by Farabee and Geib was used as the wavenumber filtering apparatus and flush mounted on an open test section identical to that used by Jameson. A technique of conditional sampling on signals was used to determine the characteristics of the transitional flow. The frequency spectrum of		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

cont → the microphone array output was computed for uniform shading, Chebyshev shading and binomial shading. A detailed update on our progress is enclosed.

The preliminary results indicate that there is no significant measurable difference in the low wavenumber wall pressure spectrum density for a transitional boundary layer as compared to a fully turbulent boundary layer.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
AI/1	



Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Measurements of the Low Wavenumber Wall  
Pressure Spectral Density During Transition on a Flat Plate

I. INTRODUCTION

Experimental measurements of the low wavenumber wall pressure spectral density are currently underway in the transition region of a flat plate boundary layer. A brief description of the experiments and of some preliminary results will be given here.

It is well known that the low wavenumber region of the wall pressure spectral density (hereafter referred to as just the low wavenumber region) is much more efficient at exciting marine structures than the convective region. Considerable effort has therefore been directed into the measurement of the spectrum levels in this region, while rejecting the contributions from the convective region.<sup>1-4</sup> The transition region of a boundary layer may cover a large portion of some structures and thus it is imperative that the low wavenumber region be well understood for a boundary layer undergoing transition.

II. EXPERIMENTAL DESCRIPTION

The low-noise, low-turbulence wind tunnel facility of the MIT Acoustics and Vibration Laboratory is being used to conduct the experiments. This facility has been used in the past to study the low wavenumber region,<sup>5,6</sup> and the transition process.<sup>7-8</sup> Its characteristics are described in our previous progress report (dated 6 October 1983) as well as in Hanson.<sup>10</sup> The

test setup used in the experiments is shown in Figure 1. This figure shows that the measurements were made using an open test section as in Jameson.<sup>4</sup> As opposed to a closed configuration, the open test section does not act as an acoustic wave guide and the resulting acoustic noise levels are lower. Figure 1 also indicates the approximate locations of the laminar, transition and turbulent regions of the boundary layer as well as the position of the microphone array.

The six element (B&K Model #4144) microphone array used by Farabee & Geib<sup>3</sup> was used as the wavenumber filtering apparatus. Figure 2 is a schematic of the instrumentation used in our work. The frequency response of the array was flat from 3Hz to about 8kHz. The microphones' sensing areas have 0.89cm radii (R), with a center-to-center spacing (in the streamwise direction) of 2.69cm (d). The microphones were flush mounted into the test section and their signals were high pass filtered at 100Hz. The individual microphone gains were adjusted with a Precision Filters Model 32C02B Preamp/Filter set so that various shadings could be used. The microphone outputs were then summed together with alternating phases. That is, the phase of every other microphone signal was inverted prior to the summation. The frequency spectrum of this summed signal (the array output) was then computed with a Hewlett-Packard Model 5324A Structural Dynamics Analyzer. The signal from the third microphone (counting from the upstream microphone) was also analyzed with the 5324A. The wavenumber response

of the array (with alternating phases and uniform shading) is shown in Figure 3.

### III. RESULTS

The preliminary experimental results will be presented in two parts. First, the boundary layer parameters will be presented followed by results of the wall pressure measurements.

In the transition region, the bulk of the wall pressure fluctuations at a given point are due to the passage of turbulent spots. Therefore, the boundary layer parameters of interest are those characteristic of the spots themselves and are not merely the time averaged properties.

#### Boundary Layer Characteristics

The intermittency factor ( $\gamma$ ) at a point in a boundary layer is defined as the fraction of time that the boundary layer exhibits a turbulent nature at that point. It has been shown<sup>11</sup> that the mean boundary layer properties in the intermittent region are weighted averages of the corresponding mean laminar and mean turbulent properties, where  $\gamma$  is the weighting factor. Therefore, the velocity profiles of the turbulent part of the boundary layer were computed from the measured mean intermittent profiles, the intermittency factors and the known laminar profiles. The intermittency factors for several flow conditions were computed for the third microphone signal using the numerical techniques described by Gedney.<sup>8</sup> These values for  $\gamma$  were considered to be representative of the intermittency factors



for the entire array. The mean boundary layer profiles at these conditions were measured with a small total head tube which was traversed across the boundary layer. Figures 4 and 5 show the measured velocity profiles for two flow conditions compared to laminar and turbulent profiles. These figures show that the measured velocity is indeed a weighted average of the velocities for the laminar and turbulent parts. Figures 6 and 7 show the velocity profiles for the turbulent part of the flow, computed from the measurements of Figures 4 and 5 along with the law of the wake model proposed by Coles.<sup>12</sup> The agreement between the measured profiles and the law of the wake is very good, indicating that the boundary layer in the open test section was not adversely affected by the open jet. Table 1 lists the boundary layer parameters (for the turbulent portion of the flow) at the eight flow conditions. These parameters were used in the nondimensionalization of the wall pressure measurements. Flow speeds of 11, 14, 19 and 24m/s were selected at two roughness conditions. The roughness conditions were 1) a smooth wall and 2) a 0.02" diameter trip wire was stretched spanwise across the plate at the open jet exit plane (see Figure 1). In Table 1  $U_{\infty}$  is the freestream velocity,  $\delta^*$  is the displacement thickness and  $V_*$  is the friction velocity.

#### Wall Pressure Measurements

The frequency spectrum of the microphone array output was computed for each of three shadings at all eight of the flow conditions of Table 1. This gave a total of 24 frequency spectra.

TABLE 1

Run #	$U_{\infty}$ (m/s)	Roughness Condition	$\gamma$	$\delta^*$ (mm)	$V_*$ (m/s)
1	11	smooth	0.38	2.03	--
2	14	"	0.66	1.24	0.68
3	19	"	0.86	1.40	0.91
4	24	"	1.0	1.45	1.1
5	11	trip wire	0.63	1.52	--
6	14	"	1.0	1.35	0.68
7	19	"	1.0	1.42	0.88
8	24	"	1.0	1.73	1.0

NOTE:  $V_*$  was not computed for Run #1 and #5 due to experimental errors.

The three shadings were: 1) uniform shading; 2) Chebyshev shading [with lower side lobes and a wider main lobe than the uniform shading, see Figure 3]; and 3) binomial shading [with even lower side lobes and a wider main lobe than the Chebyshev shading]. A typical frequency spectrum of the array output is shown in Figure 8. The frequency spectrum of microphone #3 at the same conditions is also shown in the figure. The single microphone results of Figure 8 show a low frequency peak near 200Hz due to the convective ridge. The decay of this convective response with increasing frequency is due to spatial averaging on the diaphragm of the microphone. The relatively flat portion of the single microphone results above 3kHz is due to acoustic noise in the flow. The frequency spectrum of the array output in Figure 8 shows reductions in the magnitude of the measured pressure at various frequencies due to the wavenumber filtering characteristics of the microphone array. The first three peaks in this spectrum (at about 200, 600 and 1400Hz) are due to the array responding to the convective ridge in the main, first aliasing and second aliasing lobes. The broad peak at 5.6kHz is the response of the array in its main lobe to the acoustic noise. Likewise, the peak at 3.2kHz is due to the array's first lower side lobe responding to the acoustic noise (this spectrum was measured with uniform shading). The measurements of the low wavenumber region were taken from this curve at the frequency points above the peak at 1400Hz, where the response of the array to the acoustic noise was a minimum. In this way the

low wavenumber results have the least amount of contamination from either the convective ridge or the acoustic noise for each test condition. The array's acoustic response minima were determined from plots of the coherence between the single microphone signal and the array output.

The coherence is defined by

$$C(\omega) = \frac{|S_{MA}(\omega)|^2}{S_{MM}(\omega)S_{AA}(\omega)}$$

where  $C(\omega)$  is the coherence,  $S_{MA}(\omega)$  is the complex cross spectral density between the single microphone and the array, and  $S_{MM}(\omega)$  and  $S_{AA}(\omega)$  are the power spectral densities of these two signals. Figure 9 is a plot of the coherence function for the conditions of Figure 8. The minima at 2.4 and 4.2kHz in Figure 9 indicate the frequency points at which the array had the smallest response to the acoustic noise and these frequencies are where the low wavenumber results were taken. The fact that the minima in Figure 9 nearly go to zero indicates that the bulk of the acoustic noise is propagating in the stream direction

The main lobe of the microphone array was centered on wavenumbers of  $1.17\text{cm}^{-1}$  in the streamwise direction and 0 in the spanwise direction. The array's wavenumber response ( $|W(\underline{k})|^2$ ) and effective wavenumber bandwidths ( $\Delta k_1$ , streamwise and  $\Delta k_3$ , spanwise) were computed for uniform shading from the following relation given by Farabee and Geib:<sup>3</sup>

$$\begin{aligned} |W(\underline{k})|^2 \Delta k_1 \Delta k_3 &= 5.7(4/N)\text{cm}^{-2} \\ &= 3.82\text{cm}^{-2}, \text{ with } N=6. \end{aligned}$$

The increases in the streamwise bandwidths due to the Chebyshev and binomial shadings were 53% and 100% respectively. It was assumed that the magnitude of the wall pressure spectral density was constant with wavenumber over the array's main lobe and a single value for the spectral density was computed.

Figure 10 is a plot of the wall pressure spectral density in the low wavenumber region plotted in a nondimensional form versus a nondimensional frequency. In this plot,  $q$  is the dynamic head,  $\gamma$  is the intermittency,  $\delta^*$  is the displacement thickness and  $U_\infty$  is the free stream velocity. The data in Figure 10 were measured at various intermittencies ranging from 0.38 to 1.0 and are compared to results measured in fully turbulent boundary layers by Martin<sup>5</sup> and Jameson.<sup>4</sup> Both Martin and Jameson used the spatial filtering characteristics of vibrating plates to make their measurements in the low wavenumber region.

The preliminary results of Figure 10 indicate that there is no significant measurable difference in the low wavenumber wall pressure spectral density for a transitional boundary layer as compared to a fully turbulent boundary layer (at least when compared to the levels reported by Martin).

# REFERENCES

1. Maidanik, G. and Jorgensen, D.W., "Boundary Wave-Vector Filters for the Study of the Pressure Field in a Turbulent Boundary Layer," JASA, vol. 42, p. 494, 1967.
2. Blake, W.K. and Chase, D.M., "Wavenumber Frequency Spectra of Turbulent-Boundary-Layer Pressure Measured by Microphone Arrays," JASA, vol. 49, p. 862, 1971.
3. Farabee, T.M. and Geib, F.E., Jr., "Measurement of Boundary Layer Pressure Fields with an Array of Pressure Transducers in a Subsonic Flow," NSRDC Rept. #76-0031, March 1976.
4. Jameson, P.W., "Measurement of the Low Wavenumber Component of Turbulent Boundary Layer Pressure Spectral Density," 4th Symposium on Turbulence in Liquids, University of Missouri-Rolla, Sept. 1975.
5. Martin, N.C., "Wavenumber Filtering by Mechanical Structures," MIT Ph.D. Thesis, Dept. of Mechanical Engineering, January 1976.
6. Moeller, M., P. Leehey and N.C. Martin, "Low Wave Number Levels of Turbulent Boundary Layer Wall Pressure Fluctuations in Zero and Adverse Gradients," MIT Acoustics and Vibration Lab. Rept. #82464-2, Sept. 1978.
7. Shapiro, P.J., "The Influence of Sound Upon Boundary Layer Instability," MIT Acoustics and Vibration Lab. Rept. #83458-83560-1, 1977.
8. Gedney, C.J., "Wall Pressure Fluctuations During Transition on a Flat Plate," MIT Acoustics and Vibration Lab. Rept. #84618-1, 1979.
9. Gedney, C.J., "The Response of a Laminar Boundary Layer to Sound and Wall Vibration," MIT Acoustics and Vibration Lab. Rept. #83560-3, May 1983.
10. Hanson, C.E., "The Design and Construction of a Low-Noise, Low-Turbulence Wind Tunnel," MIT Acoustics and Vibration Lab. Rept. #79611-1, 1969.

REFERENCES (cont'd)

11. Dhawan, S. and R. Narasimha, "Some Properties of Boundary Layer Flow During the Transition from Laminar to Turbulent Motion," J. Fluid Mech., vol. 3, p. 418, 1958.
12. Coles, D.E., "The Law of the Wake in the Turbulent Boundary Layer," J. Fluid Mech., vol. 1, p. 191, 1956.




Figure 1. Side View of Wind Tunnel in Cross Section.






Figure 2. Instrumentation.




Figure 3. Calculated Wavenumber Response, Alternating Phased Array.

16-DEC-83

MEAN INTERMITTENT VELOCITY PROFILE




Figure 4. Typical Mean Boundary Layer Profile.

16-DEC-83

MEAN INTERMITTENT VELOCITY PROFILE




Figure 5. Typical Mean Boundary Layer Profile.




Figure 6. Turbulent Boundary Layer Profile.




Figure 7. Turbulent Boundary Layer Profile.




Figure 8. Typical Wall Pressure Frequency Spectra.




Figure 9. Typical Coherence Function for 3rd Microphone vs. Microphone Array.



20-DEC-83




Figure 10. Low Wavenumber Wall Pressure Spectral Density in the Transition Region.

93019 Distribution List

Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314

Office of Naval Research  
Code 432  
Fluid Mechanics Division  
800 N. Quincy Street  
Arlington, VA 22217

Professor Bruce Johnson  
U.S. Naval Academy  
Engineering Department  
Annapolis, MD 21402

NASA Scientific and Technical  
Information Facility  
P.O. Box 8757  
Baltimore/Washington International  
Airport  
Maryland 21240

Technical Library  
David W. Taylor Naval Ship Research  
& Development Center  
Annapolis Laboratory  
Annapolis, MD 21402

Prof. Paul M. Naghdi  
Department of Mechanical Engineering  
The University of California  
Berkeley, CA 94720

Prof. C.-S. Yih  
Department of Engineering Mechanics  
The University of Michigan  
Ann Arbor, MI 48109

Librarian  
Department of Naval Architecture  
The University of California  
Berkeley, CA 94720

Office of Naval Research  
Code 2008  
Technology Program  
800 N. Quincy Street  
Arlington, VA 22217

Prof. John V. Wehausen  
Department of Naval Architecture  
The University of California  
Berkeley, CA 94720

Library  
David W. Taylor Naval Ship Research  
& Development Center  
Code 522.1  
Bethesda, MD 20084

Technical Library  
Naval Surface Weapons Center  
Dahlgren Laboratory  
Dahlgren, VA 22418

Mr. Justin H. McCarthy, Jr.  
David W. Taylor Naval Ship Research  
& Development Center  
Code 1540  
Bethesda, MD 20084

Technical Documents Center  
Army Mobility Equipment Research Ctr.  
Building 315  
Fort Belvoir, VA 22060

Dr. William B. Morgan  
David W. Taylor Naval Ship Research  
& Development Center  
Code 1500  
Bethesda, MD 20084

Technical Library  
Webb Institute of Naval Architecture  
Clen Cove, NY 11542

Director  
Office of Naval Research  
Eastern/Central Regional Office  
Building 114, Section D  
666 Summer Street  
Boston, MA 02210

Dr. J. P. Breslin  
Stevens Institute of Technology  
Davidson Laboratory  
Castle Point Station  
Hoboken, NJ 07030

Library  
Naval Weapons Center  
China Lake, CA 93555

Prof. Louis Landweber  
The Institute of Hydraulic Research  
Iowa City, IA 52242

R.E. Gibson Library  
The Johns Hopkins University  
Applied Physics Laboratory  
Johns Hopkins Road  
Laurel, MD 20810

The Society of Naval Architects &  
Marine Engineers  
One World Trade Center, Suite 1369  
New York, NY 10048

Lorenz G. Straub Library  
St. Anthony Falls Hydraulic Lab.  
The University of Minnesota  
Minneapolis, MN 55414

Technical Library  
Naval Coastal System Laboratory  
Panama City, FL 32401

Library  
Naval Postgraduate School  
Monterey, CA 93940

Prof. Theodore Y. Wu  
Engineering Sciences Department  
California Institute of Technology  
Pasadena, CA 91125

Technical Library  
Naval Underwater Systems Center  
Newport, RI 02840

Director  
Office of Naval Research  
Western Regional Office  
1030 E. Green Street  
Pasadena, CA 91101

Engineering Societies Library  
345 East 47th Street  
New York, NY 10017

Technical Library  
Naval Ship Engineering Center  
Philadelphia Division  
Philadelphia, PA 19112

Army Research Office  
P.O. Box 12211  
Research Triangle Park, NC 27709

Librarian Station 5-2  
Coast Guard Headquarters  
NASSIF Building  
400 Seventh Street, SW  
Washington, DC 20591

Editor  
Applied Mechanics Review  
Southwest Research Institute  
8500 Culebra Road  
San Antonio, TX 78206

Defense Research & Development Attache  
Australian Embassy  
1601 Massachusetts Avenue, NW  
Washington, DC 20036

Technical Library  
Naval Ocean Systems Center  
San Diego, CA 92152

Library of Congress  
Science and Technology Division  
Washington, DC 20540

ONR Scientific Liaison Group  
American Embassy - Room A-407  
APO San Francisco 96503

Dr. A.L. Slafkosky  
Scientific Advisor  
Commandant of the Marine Corps  
Code 2042 AA  
Washington, DC 20380

Librarian  
Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910

Maritime Administration  
Office of Maritime Technology  
14th & E Streets, NW  
Washington, DC 20230

Maritime Administration  
Division of Naval Architecture  
14th & E Streets, NW  
Washington, D.C. 20230

Mr. Stanley W. Doroff  
Mechanical Technology, Inc.  
2731 Prosperity Avenue  
Fairfax, VA 22031

Dr. G. Kulin  
National Bureau of Standards  
Mechanics Section  
Washington, DC 20234

Dr. Charles Watkins  
Head, Mechanical Engineering Dept.  
Howard University  
Washington, DC 20059

Naval Research Laboratory  
Code 2627  
Washington, D.C. 20375

Library  
Naval Sea Systems Command  
Code 09GS  
Washington, DC 20362

Mr. Thomas E. Peirce  
Naval Sea Systems Command  
Code 03512  
Washington, DC 20362

Prof. A.J. Acosta  
Div. of Engineering & Applied Science  
Mail Code 104-44  
California Institute of Technology  
Pasadena, CA 91125

Mr. Ralph D. Cooper  
Flow Research  
Washington, D.C. Office, Suite 401  
1320 Fenwick Lane  
Silver Spring, MD 20910

Dennis Bushnell  
Mail Stop 163  
NASA Langley  
Hampton, VA 23665

Dr. Mohamed Gad-el-Hak  
Senior Research Scientist & Proj. Mgr.  
Flow Research Company  
21414 68th Avenue South  
Kent, WA 98031

James W. Slack  
Chase, Inc.  
238 Main Street, Suite 507  
Cambridge, MA 02142

Dr. Marvin E. Goldstein  
NASA Lewis Research Center  
Mail Stop 5-9  
21000 Brookpark Road  
Cleveland, OH 44135

Dr. Mario J. Casarella  
Dept. of Mechanical Engineering  
The Catholic University of America  
Washington, D.C. 20064

Eugene C. Gritton  
Engineering & Applied Sciences Dept.  
The Rand Corporation  
1700 Main Street  
Santa Monica, CA 90406

Prof. Stanley Corrsin  
Dept. of Mechanics & Materials Science  
The Johns Hopkins University  
Baltimore, MD 21218

Prof. Chester E. Grosch  
1-14050  
Old Dominion University  
Norfolk, VA 23508

Mr. Robert J. Hansen  
Fluid Dynamics Branch  
Naval Research Laboratory  
Code 387 - Bldg. 34  
Washington, D.C. 20375

Prof. Richard E. Kronauer  
Division of Engineering & Applied Phys.  
324 Pierce Hall  
Harvard University  
Cambridge, MA 02138

Dr. Richard E. Hayden  
Bolt, Beranek & Newman, Inc.  
50 Moulton Street  
Cambridge, MA 02138

Dr. George Lea  
Fluid Mechanics-Engineering Division  
National Science Foundation  
Washington, D.C. 20550

Jerry Hefner  
Mail Stop 163  
NASA Langley  
Hampton, VA 23665

Mr. Lucio Maestrello  
Mail Stop 163  
NASA Langley  
Hampton, VA 23665

Dr. Gary R. Hough  
Vought Corporation  
Advanced Technology Center  
P.O. Box 226144  
Dallas, TX 75266

Dr. Leslie M. Mack  
Jet Propulsion Laboratory  
California Institute of Technology  
4800 Oak Grove Drive  
Pasadena, CA 91103

Dr. T.T. Huang  
Code 1552  
David W. Taylor  
Naval Ship Research & Development Ctr.  
Bethesda, MD 20084

J.W. Murdock  
The Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009



Prof. Mark V. Morkovin  
Dept. of Mechanics & Mechanical  
& Aerospace Engineering  
Illinois Institute of Technology  
Chicago, ILLINOIS 60616

Prof. Donald Rockwell  
Dept. of Mechanical Engineering  
& Mechanics  
Building 19  
Lehigh University  
Bethlehem, PA 18015

Prof. Gabriel Miller  
Faculty of Arts & Science  
Department of Applied Science  
New York University  
26-36 Stuyvesant Street  
New York, NY 10003

Prof. Eli Reshotko  
Glennan Building  
Case Western Reserve University  
University Circle  
Cleveland, OHIO 44106

Prof. Thomas J. Mueller  
Aerospace & Mechanical Engineering  
University of Notre Dame  
Notre Dame, INDIANA 46556

Dr. Michael M. Reischman  
Mechanics Division  
Code 432  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217

Dr. R.W. Paterson  
Aeroacoustics Group  
United Aircraft Research Laboratories  
East Hartford, CT 06108

Dr. William C. Reynolds  
Department of Mechanical Engineering  
Stanford University  
Stanford, CA 94305

Prof. Allan D. Pierce  
School of Mechanical Engineering  
Georgia Institute of Technology  
Atlanta, GA 30332

Prof. William Saric  
Dept. of Engineering Science & Mechanics  
Virginia Polytechnic Institute &  
State University  
Norris Hall  
Blacksburg, VA 24061

Dr. Paul Shapiro  
Phillips Laboratories  
345 Scarborough Road  
Briar Cliff Manor  
NEW YORK 10510

Prof. Frank M. White  
Dept. of Mechanical and Ocean  
Engineering  
University of Rhode Island  
Kingston, R.I.

Dr. Robert L. Sternberg  
Office of Naval Research  
495 Summer Street  
Boston, MA 02210

Prof. James Wallace  
Dept. of Mechanical Engineering  
Surge Facility--Room 2109  
University of Maryland  
College Park, MD 20742

Dr. Charles Thompson  
Dept. of Engineering Science & Mechanics  
Virginia Polytechnic Institute &  
State University  
Norris Hall, Room 227  
Blacksburg, VA 24061

Marshall P. Tulin  
Hydronautics, Inc.  
Laurel, MD 20810

Prof. W.W. Willmarth  
Aerospace Engineering  
Gas Dynamics Laboratories  
The University of Michigan  
North Campus  
Ann Arbor, MICHIGAN 48105

Office of Naval Research  
Code 481  
800 N. Quincy Street  
Arlington, VA 22217

Dr. Robert H. Kraichnan  
Dublin  
NEW HAMPSHIRE 03444

Prof. Richard W. Miksad  
Department of Civil Engineering  
The University of Texas at Austin  
Austin, TX 78712

Prof. Robert E. Falco  
Department of Mechanical Engineering  
Michigan State University  
East Lansing, MI 48824

Prof. Paul Lieber  
Department of Mechanical Engineering  
The University of California  
Berkeley, CA 94720

Prof. E. Rune Lindgren  
Department of Engineering Sciences  
231 Aerospace Engineering Building  
University of Florida  
Gainesville, FL 32611

Prof. S.I. Pai  
Institute of Fluid Dynamics &  
Applied Mathematics  
The University of Maryland  
College Park, MD 20742

Dr. A.K.M. Fazle Hussain  
Department of Mechanical Engineering  
The University of Houston  
Houston, TX 77004

Computation and Analyses Laboratory  
Naval Surface Weapons Center  
Dahlgren Laboratory  
Dahlgren, VA 22418

Prof. John L. Lumley  
Sibley School of Mechanical &  
Aerospace Engineering  
Cornell University  
Ithaca, NY 14853

Prof. K.E. Shuler  
Department of Chemistry  
University of California - San Diego  
La Jolla, CA 92093

Prof. R. Blackwelder  
Department of Aerospace Engineering  
University of Southern California  
University Park  
Los Angeles, CA 90007

Dr. E.W. Montroll  
Physical Dynamics, Inc.  
P.O. Box 556  
La Jolla, CA 92038

Prof. T.R. Thomas  
Department of Mechanical Engineering  
Teesside Polytechnic  
Middlesbrough TS1 3BA  
ENGLAND

Prof. Tuncer Cebeci  
Mechanical Engineering Department  
California State University  
Long Beach, CA 90840

Dr. Arthur B. Metzner  
Department of Chemical Engineering  
University of Delaware  
Newark, DE 19711

Dr. C.W. Hirt  
Los Alamos Scientific Laboratory  
University of California  
P.O. Box 1663  
Los Alamos, NM 87544

Prof. Harry E. Rauch  
The Graduate School & University Center  
of the City University of New York  
Graduate Center  
33 West 42 Street  
New York, NY 10036

Prof. Frederick K. Browand  
Department of Aerospace Engineering  
University of Southern California  
University Park  
Los Angeles, CA 90007

Dr. Norman M. Nilsen  
Dyntech Company  
5301 Laurel Canyon Boulevard, Suite 201  
North Hollywood, CA 91607

Prof. L. Gary Leal  
Div. of Chemistry & Chemical Engineering  
California Institute of Technology  
Pasadena, CA 91125

Prof. Francis R. Hama  
Department of Mechanical &  
Aerospace Engineering  
Princeton University  
Princeton, NJ 08540

Prof. H.W. Liepmann  
Graduate Aeronautical Laboratories  
California Institute of Technology  
Pasadena, CA 91125

Dr. Joseph H. Clarke  
Division of Engineering  
Brown University  
Providence, RI 02912

Prof. A. Roshko  
Graduate Aeronautical Laboratories  
California Institute of Technology  
Pasadena, CA 91125

Prof. J.T.C. Liu  
Division of Engineering  
Brown University  
Providence, RI 02912

Prof. K.M. Agrawal  
Department of Mathematics  
Virginia State College  
Petersburg, VA 23803

Chief, Document Section  
Redstone Scientific Information Center  
Army Missile Command  
Redstone Arsenal, AL 35809

Technical Library  
Naval Missile Center  
Point Mugu, CA 93041

Dr. Jack W. Hoyt  
Naval Ocean Systems Center  
Code 2501  
San Diego, CA 92152

Prof. Richard L. Pfeffer  
Geophysical Fluid Dynamics Institute  
Florida State University  
Tallahassee, FL 32306

Dr. Phillip S. Klebanoff  
Mechanics Section  
National Bureau of Standards  
Washington, DC 20234

Dr. Denny R.S. Ko  
Dynamics Technology, Inc.  
22939 Hawthorne Boulevard, Suite 200  
Torrance, CA 90505

Dr. J.O. Elliot  
Naval Research Laboratory  
Code 8310  
Washington, DC 20375

Prof. Thomas J. Hanratty  
Department of Chemical Engineering  
University of Illinois at Urbana-  
Champaign  
205 Roger Adams Laboratory  
Urbana, IL 61801

Mr. R.J. Hansen  
Naval Research Laboratory  
Code 387 - Building 34  
Washington, DC 20375

Air Force Office of Scientific  
Research/NA  
Building 410  
Bolling AFB  
Washington, DC 2033 2

Dr. Gary Chapman  
Mail Stop 227-4  
Ames Research Center  
Moffett Field, CA 94035

Prof. Hsien-Ping Pao  
Department of Civil Engineering  
The Catholic University of America  
Washington, DC 20064

Prof. Sheila Widnall  
37-475  
MIT

Prof. J. Haritonides  
37-461  
MIT

Prof. Steven Orszag  
2-347  
MIT

Prof. T. Francis Ogilvie  
5-230  
MIT

Prof. Erik Mollo-Christensen  
54-1726  
MIT

Prof. P.S. Virk  
66-558  
MIT

Prof. C. Forbes Dewey  
3-250  
MIT

Prof. Marten Landahl  
37-467  
MIT

END

FILMED

6-84

DTIC